

## REFFERNCES BIBLIOGRAPHIQUES

**[A1] AGLAN A.A. and Redwood R.G. , 1974.**

Web buckling in castellated beams. Proceedings Institution of Civil Engineers, Part 2, Vol. 57, pages 307-320, 1974.

**[A2] AGLAN A.A. and Qaquish S.**

Plastic behavior of beams with mid-depth web openings. Journal of the Structural Division ASCE, vol. 19, No. ST 1, pages 20-26,1982.

**[B1] BITAR. D. (1998) " .**

Vérification à l'E.L.U. des poutres métalliques avec ouvertures d'âme- Exemples de calcul et recommandations", CTICM -Construction Métallique N°1.

**[B2] BOWER. J.E. (1966b).**

"Experimental stresses in wide-flange beams with holes", Proceedings of American Society of Civil Engineering, Journal of the Structural Division, 92 (ST5), 167-186.

**[B3] BOWER. J.E. (1967).**

"Ultimate strength of wide-flange beams with rectangular holes", United States Steel Corporation. Applied Research Laboratory Report 57.019-400.

**[C1] Centre Technique Industriel de la Construction Métallique**

CTICM, P. Mangin, A. Bureau – Rapport technique n°7.072-01 : « *ArcelorMittal Cellular Beams Logiciel ACB+ : Descriptif technique* » 2009

**[C2] CHUNG. K.F,Liu T.C.H and A.C.H.Ko.**

Investigation on vierendeel mechanism in steel beams with circular web openings. Journal of Constructional steel Research, vol. 57 , pages 467-490,2001.

**[C3] Chung, K.F. Liu T.C.H. and A.C.H. Ko.**

Steel beams with large web openings of various shapes and sizes: An empirical design method using a generalised moment–shear interaction curve. *Journal of Constructional Steel Research*, vol. 59, pages 1177–1200, 2003.

**[C4] CLAWSON. W.C. and DARWIN. D.**

The Design of Composite Beams with Web openings. *Structural Engineering Materials*, SM Report No.4, University of Kansas center for Research, Lawrence, Kansas, 1980.

**[C5] CONGDON. J.G. et REDWOOD. R.G. (1970).**

"Plastic behavior of beams with reinforced holes ", *Proceedings of American Society of Civil Engineering, Journal of the Structural Division*, 96(ST9), 1933-1955.

**[D1] DARWIN. D. (1990).**

"Design of steel and composite beams with web openings", *American Institute of Steel Construction, Chicago*, III.

**[D2] DARWIN. D. et DONAHEY. R.C. (1988).**

"LRFD for composite beams with unreinforced web openings", *Proceedings of American Society of Civil Engineering, Journal of the Structural Division*, 114(3), 535-552.

**[D3] DONAHEY. R.C. et DARWIN. D. (1986),**

"Performance and design of composite beams with web openings", SM Report N0.18, Univ. of Kansas Ctr. for Res., Univ. of Kansas Lawrence, Kansas

**[D4] DONAHEY. R.C. et DARWIN. D. (1988).**

"Web openings in composite beams with ribbed slabs", *Proceedings of American Society of Civil Engineering, Journal of the Structural Division*, 114(3), 518-534.

**[E1] EUROCODE 3-ENV-1993, (Décembre 1992).**

"Calcul des structures en acier", Partie 1.1: Règles générales et règles pour les bâtiments EC3 DAN. Norme expérimentale française p22-311.

**[E2] EUROCODE 3-ANNEXE N. (Mars 1995).**

"Ouvertures dans les âmes",  
Document CEN/TC 250/SC3/N477E.

**[E3] EUROCODE4 (EC4) (1994).**

"Design of Composite Steel and Concrete Structures –  
Part 1.1: General rules and rules for buildings." ENV 1994-1-1.  
European Committee for Standardization.

**[F1] FROST. R.W. (1971).**

"The behavior of steel beams with eccentric web holes",  
Paper presented at American Society of Civil Engineering  
Conference, St. Louis.

**[H1] HALLEUX. P. (1967).**

"Limit analysis of castellated steel beams",  
Acier Stahl Steel. N0. 3, 133-144.

**[H2] HOGLUND. T. et JOHANSSON. B. (1977)" .**

"Stegbleche mit offnungen", Chap.5 in Steifenlose  
Stahlskelettragwerke und dünnwandige Vollwandtrager. ed. F.  
Reinitzhuber. Verlag von Wilhelm Ernst, Berlin. pp 100-112.

**[H3] HOPE. B. B. et SHEIKH. M. A. (1969),**

"The design of castellated beams",  
Transactions, EIC, EIC-69-BR and STR 6. 12(A-8).1-9.

**[H4] HOSAIN. M. U. et SPEIRS. W. G. (1973).**  
"Experiments on castellated beams",  
Welding Research Supplement, Welding Journal. 52(8), 329-342.

**[K1] KNOSTMAN. H.D, COOPER. P.B. et SNELL.R.R.(1977).**  
"Shear force distribution at eccentric web openings",  
Journal of the Structural Division, STG.

**[L1] LIU. T.C.H and K.F. Chung.**  
Steel beams with large web openings of various shapes and sizes:  
finite element investigation. Journal constructional steel Research;  
vol.59,pages 1159-1176,2003.

**[L2] LUPIEN. R. et REDWOOD. R.G. (1978).**  
"Steel beams with web openings reinforced on one side",  
Canada Journal Civil Engineering, 5(4), 451-461.

**[M1] D. MATEESCO et G. Mercea.**  
Un nouveau type de poutres ajourées. *Revue construction métallique*  
*CTICM No.3*, pages 3-14, 1981.

**[M2] McCORMICK. M.M (1972).**  
"Open web beams: behavior analysis and design",  
BHP Melbourne Research Laboratories, Report 17.18.  
Melbourne.Australia.

**[O1] OLANDER. H.C. (1953) .**  
"A methode of calculating stresses in rigid frame corners",  
Proceedings of American Society of Civil Engineering, Journal of the  
Structural Division, 79, Separate N0. 249, 1-21.

**[R1] REDWOOD. R.G. (1968).**

“Plastic behavior and design of beams with web openings”,  
Proceeding, 1st Canadian Structural Engineering. Conference,  
Canadian Steel Industry Construction Council, 127- 138.

**[R] REDWOOD .R. G. (1973).**

*Design of beams with web holes.* Canadian Steel Industries  
Construction Council, 1973

**[R3] REDWOOD. R.G. (1978),**

"Dimensionnement du renfort d'âme de poutres comportant une  
ouverture",  
CRIF (Centre de Recherches Scientifiques et Techniques de  
l'Industrie des Fabrications Métallique) . Bruxelles. Note technique  
No 16.

**[R4] REDWOOD. R.G. (1983).**

"Design of I-beams with web perforations", beams and beams  
columns, Stability and strength", Applied Science Publishers, London,  
pp95-133.

**[R5] REDWOOD R.G. et SHRIVASTAVA. S.C. (1980).**

"Design recommendations for steel beams with web holes",  
Canadian Journal Civil Engineering, 7(4), 642-650.

**[R6] REDWOOD. R.G. et SOON. HO. CHO (1987).**

"Design tools for steel beams with web openings"  
Composite steel structure : advances, design and construction.  
Elsevier Applied Science Publishers LTD. pp 75-83.

**[R7] REDWOOD. R.G. et UENOYA. M. (1979).**

"Critical loads for webs with holes", Proceedings of American Society  
of Civil Engineering, Journal of the Structural  
Division, 105(ST10), 2053-2067.

**[S1] SAHMEL. P. (1969).**

"The design, construction and approximate analysis of welded beams and torsion members having large openings".  
Schweissen und Schneiden, 21(3), 116-122.

**[S2] SEGNER. Jr.E.P. (1964).**

"Reinforcement requirements for girder web openings",  
Proceedings of American Society of Civil Engineering, Journal of the  
Structural Division, 90(ST3), 147-164.

**[S3] SHRIVASTAVA. S.C. et REDWOOD. R.G. (1977).**

"Web instability near reinforced rectangular holes",  
IABSE Proceeding, N0.P-6.

**[T1] Todd.D.M and P.B. Cooper.**

Strength of composite beams with web opening. Journal of the  
Structural Division ASCE, vol.106, No. ST 2, pages 431-444, 1980

**[W1] WANG. C.K. (1946).**

"Theoretical analysis of perforated shear webs",  
Transaction American Society Mechanic Engineering Journal of  
Applied Mechanics. 13. A-77-84.

**[W2] WANG. T.M., SNELL. R.R. et COOPER. P.B. (1975).**

"Strength of beams with eccentric reinforced holes",  
Proceedings of American Society of Civil Engineering, Journal of the  
Structural  
Division, 101(ST9), 1783-1799.

**[W3] WARD. J.K 1990.**

*Design of composite and non-composite cellular beams.* The Steel  
Construction Institute Publication 100, 1990.

**[W4] WORLEY. W.J. (1958).**

"Inelastic behavior of aluminum alloy I-beams with web cutouts",  
Bulletin N0.448. University of hlinois Engineering Experiment  
Station Urbana.III.